

# **Technical Data Sheet**

## **AF-755**

Ingredient	Mineral oil, hydrophobic particles
Warranty	6 months (kept in a cool, dry place at room
	temperature)
Applications	AF-755 is used in
	<ul> <li>Water-based coating system based on</li> </ul>
	styrene-acrylic emulsion, silicon-acrylic
	emulsion, pure acrylic emulsion,
	acetate-acrylic acetate butyl emulsion, etc
	<ul> <li>Water-based adhesive and latex paint</li> </ul>
	<ul> <li>Thick slurry and high viscosity system</li> </ul>
	• Elastic drawing, floor paint, leather edge oil
	system effect is remarkable
Features	Good water solubility, good dispersion
	<ul> <li>Good degassing effect</li> </ul>

## **Physical indicators**

**Exterior** Pale yellow opaque turbid liquid

**Solid content** 100%

**pH value** 5.5-7.0

**Viscosity**, **25**°C 1500-8000mPa.s



#### **Instructions**

- It is best to stir thoroughly before use, even if the surface is not layered; Long-term storage may be slightly stratified, stir evenly after use, does not affect the effect.
- It can be directly added to use, can also be pre-dispersed after use.
- The addition amount is generally 0.1~0.6%, and the optimal addition amount is adjusted according to the actual situation on site.

#### **Precautions**

- There are no fatal or harmful ingredients to the human body, but try not to touch it directly or use it if it accidentally gets into the eyes, rinse with clean water
- Storage at room temperature (5-40°C), away
   from direct sunlight
- Refer to the product's Material Safety DataSheet (MSDS) before use

#### Usage

• Not for human injection

#### restrictions

 This product is not tested or represented as suitable for medical or pharmaceutical use

### **Package**

25kg/50kg/180kg plastic drum or 850kg IBC
 drum





#### LIMITED WARRANTY INFORMATION - PLEASE READ CAREFULLY

The information provided here is believed to be accurate and in good faith. However, because conditions and methods of use of our products are beyond our control, this information should not substitute for customer's testing to ensure that our products are safe, effective, and fully satisfactory for their intended use. Suggestions for use shall not be construed as grounds for infringement of any patent rights.