

Technical Data Sheet

AF-711

Ingredient	Mineral oil and hydrophobic particles
Warranty	6 months (kept in a cool, dry place at room
	temperature)
Applications	AF-711 is used in
	 Production of adhesives and various latex
	paints
	 Water-based coating systems based on
	styrene-acrylic emulsion, silicone-acrylic
	emulsion, pure acrylic emulsion, etc
	 Various types of water-based latex
	(styrene/butadiene, acrylic, polyvinyl
	chloride and its copolymers, ethylene vinyl
	acetate, vinyl dichloride and water-soluble
	alkyds)
	Paper coating
Features	• Good dispersion in water

Features

- Good dispersion in water
- It has good compatibility and will not cause defects such as oil slicks and fish eyes



Physical indicators

Exterior Colorless to slightly yellow opaque liquid

Solid content 100%

pH value 5.0-7.0

Viscosity, 25°C 300-1000mPa.s

Specific

0.8 - 1.0

gravity, g/cm³

Instructions

- This product is composed of hydrophobic liquid and hydrophobic particles. It may be slightly stratified after long-term storage. Stir it evenly before use, and it will not affect the effect.
- It can be added directly or used after pre-dispersion.
- The addition amount is generally 0.1~0.6%. The optimal addition amount is determined according to the actual situation on site.

Precautions

• There are no fatal or harmful ingredients to the human body, but try not to touch it directly or use it if it accidentally gets into the eyes, rinse with clean water



	• Storage at room temperature (5-40 $^{\circ}$ C), away
	from direct sunlight
	• Refer to the product's Material Safety Data
	Sheet (MSDS) before use
Usage	Not for human injection
restrictions	• This product is not tested or represented as
	suitable for medical or pharmaceutical use
Package	• 25kg/50kg/180kg plastic drum or 850kg IBC
	drum

LIMITED WARRANTY INFORMATION - PLEASE READ CAREFULLY

The information provided here is believed to be accurate and in good faith. However, because conditions and methods of use of our products are beyond our control, this information should not substitute for customer's testing to ensure that our products are safe, effective, and fully satisfactory for their intended use. Suggestions for use shall not be construed as grounds for infringement of any patent rights.