

## **Technical Data Sheet**

## **AF-884**

Ingredient	Silicone oil and hydrophobic particles of water
	emulsion
Warranty	6 months (kept in a cool, dry place at room
	temperature)
Applications	AF-884 is used in
	• Black liquor for paper and pulping
	• Wastewater treatment
Features	• Resistant to strong alkali and high
	temperature
	• Outstanding bubble inhibition ability
Physical indic	cators
<b>F</b>	White or wellowish million liquid

Exterior	White or yellowish milky liquid
Solid content	(39-41) %
pH value	6.5-9.0
Viscosity, 25°C	2000-8000mPa.s
Instructions •	It can be used directly or diluted to a low
	content.



- Can be diluted directly with water, but need to be used immediately, if the dilution needs to be stored for a certain time, you can consult our company, our company will provide professional dilution method.
- The recommended addition amount of pulping black liquor is 0.05~0.5kg per ton of pulp, and the addition amount of sewage treatment is generally 10~1000ppm, and the optimal addition amount is determined according to the actual situation on site.
- The addition point is generally selected where the defoamer is easily dispersed, and can be continuously added with a metering pump.
- Precautions
  There are no fatal or harmful ingredients to the human body, but try not to touch it directly or use it if it accidentally gets into the eyes, rinse with clean water
  - Storage at room temperature (5-40°C), away from direct sunlight
  - Refer to the product's Material Safety Data



## Sheet (MSDS) before use

Usage	• Not for human injection
restrictions	• This product is not tested or represented as
	suitable for medical or pharmaceutical use
Package	• 25kg/200kg plastic drum or 1000kg IBC
	drum

## LIMITED WARRANTY INFORMATION - PLEASE READ CAREFULLY

The information provided here is believed to be accurate and in good faith. However, because conditions and methods of use of our products are beyond our control, this information should not substitute for customer's testing to ensure that our products are safe, effective, and fully satisfactory for their intended use. Suggestions for use shall not be construed as grounds for infringement of any patent rights.