

Technical Data Sheet

AF-408

Ingredient	Hydroxy compound aqueous emulsion
Warranty	6 months (kept in a cool, dry place at room
	temperature)
Applications	AF-408 is used in
	• Wet end of papermaking
	• Power plant desulfurization
	• General industrial sewage treatment and
	domestic sewage treatment
Features	• Good product stability
	• Wide applicable temperature range
Physical indic	ators
Exterior	White or slightly yellow milky liquid
Solid conter	nt (28-30) %
pH value	6.0-8.0
Viscosity, 25	5℃ 500-5000mPa.s
Instructions	• It can be added directly or diluted to low
	content.
	• It can be diluted directly with water, but it

needs to be used immediately. If it needs to



be stored for a certain period of time after dilution, please consult our company and we will provide professional dilution methods.

- The addition amount is generally 10~1000ppm. The optimal addition amount is determined according to the actual situation on site.
- The adding point is generally selected where the defoaming agent is easily dispersed, and a metering pump can be used to add continuously.
- Precautions
 There are no fatal or harmful ingredients to the human body, but try not to touch it directly or use it if it accidentally gets into the eyes, rinse with clean water
 - Storage at room temperature (5-40°C), away from direct sunlight
 - Refer to the product's Material Safety Data Sheet (MSDS) before use
- Usage Not for human injection
- restrictionsThis product is not tested or represented as suitable for medical or pharmaceutical use



Package• 25kg/200kg plastic drum or 1000kg IBC

drum

LIMITED WARRANTY INFORMATION - PLEASE READ CAREFULLY

The information provided here is believed to be accurate and in good faith. However, because conditions and methods of use of our products are beyond our control, this information should not substitute for customer's testing to ensure that our products are safe, effective, and fully satisfactory for their intended use. Suggestions for use shall not be construed as grounds for infringement of any patent rights.